arXiv:astro-ph/0406274v2 12 Jun 2004

A more informative picture of the HST Ultra Deep Field

Nicholas Wherry[1], Michael R. Blanton[1] David W. Hogg[1,2]

ABSTRACT

The Hubble Space Telescope has obtained some of its well-deserved impact by producing stunning three-color (RGB) pictures from three-band imaging data. Here we produce a new RGB representation of the I, V, and B bandpass images of the HST Ultra Deep Field (HUDF). Our representation is based on principles set forth elsewhere (Lupton et al 2004, PASP, 116, 133–137). The principal difference between our RGB representation of the data and the more traditional representation provided by the Space Telescope Science Institute is that the (necessarily) nonlinear transformation between data values and RGB values is done in a color-preserving (*i.e.*, hue- and saturation-preserving) way. For example, if one of the image pixel values saturates the dynamic range of the RGB representation, all three of the R, G, and B values in the representation are truncated such that the hue and saturation of the pixel is the same as it would have been if the pixel had had lower flux but the same astronomical color. This, in effect, makes the bright parts of the representation an informative color map, not "whited out" as they are in traditional representations. For the HUDF, this difference is seen best in the centers of bright galaxies, which show significant detail not visible in the more traditional representation.

It is a pleasure to thank Steve Beckwith and the HUDF team for taking, reducing, and making public the HUDF data. We have benefitted from advice and software from Doug Finkbeiner, Robert Lupton, and David Schlegel. Financial support for this project was provided by NASA grant NAG5-11669, an REU extension to NSF grant PHY-0101738, and the NYU Dean's Undergraduate Research Fund.

---

[1] Center for Cosmology and Particle Physics, Department of Physics, New York University, 4 Washington Pl, New York, NY 10003

[2] `david.hogg@nyu.edu`


Hubble Ultra Deep Field
Hubble Space Telescope • Advanced Camera for Surveys
NASA, ESA, S. Beckwith (STScI) and the HUDF Team
Color representation by Wherry, Blanton, Hogg (NYU), Lupton (Princeton)

Fig. 1.— The new representation. Also available as full resolution JPEG image from "http://cosmo.nyu.edu/hogg/visualization/".



Fig. 2.— The traditional and new color representations compared, with traditional on the left and new on the right. The background looks bluer in the new representation because we have not done anything to suppress the higher noise in the blue (B band) image. Brighter galaxies look redder in the new representation primarily because the centers of the galaxies are saturated to their true color rather than white. A, B, C, and D have red centers which are obvious in the new image. C, E, and H are lower redshift galaxies, which appear to be composed of “pastel” colors while B, D and F are higher redshift galaxies, which display brighter, more saturated colors because the 4000 Å break appears in the visual band. The triple in G shows much more color diversity in the new representation. E and H have low surface brightness outer features and high surface brightness central features that are simultaneously visible.